



# **E-MIX XT™**

**ELECTRIC VARIABLE RATIO SPRAYER**

PATENT PENDING



## **THE EASIEST-TO-OPERATE VARIABLE-RATIO SPRAYER IN THE INDUSTRY**

Introducing the industry's most economical, easy-to-operate & portable electric variable ratio spray system! Designed to handle spray ratios from 1:1 up to 6:1, it is also fully capable with coatings up to 100% solids content — making it an ideal solution for nearly every job!

**ELECTRIC POWERED, NO AIR COMPRESSOR NEEDED**  
**LESS HASSLE AND EXPENSE — SAVE \$1000'S PER WEEK!**



**EASY TOUCHSCREEN OPERATION**  
**SET RATIO, PRESSURE, HEATER  
TEMPERATURES AND SPRAY!**

**QUIET OPERATION** ALLOWS EXTENDED  
SPRAY TIMES IN NOISE-SENSITIVE AREAS

**OFFERS SUBSTANTIAL SOLVENT  
AND COATING SAVINGS COMPARED  
TO "HOT-POTTING"**



**COMING SUMMER 2024**



**ELECTRIC POWERED!**  
ELIMINATE THE COMPRESSOR AND SAVE \$\$

### XT BREAKTHROUGH PERFORMANCE

- Variable Ratio from 1:1 to 6:1
- Flow rates up to 1.5 gpm
- 5000 psi Max Pressure
- Tip support to .039

### XTREME TORQUE™ MOTORS

- Low RPM, high torque design offers long life and unmatched performance
- Silent operation for comfort and extending spray times in restricted areas
- Made in the USA by Graco

### DUAL ENDURANCE® PUMPS WITH PROCONNECT™

- Job site proven Chromex Rod and Chrome cylinder for exceptional life and durability
- Balanced double-displacement design for ratio accuracy
- Quick & easy pump removal with just a hammer - perfect for on-the-job maintenance

### DUALFLO™ ON-DEMAND FLUID HEATER

- Offers independent heat for A & B components
- 4000 watt power provides up to 60°F delta T heat rise for easier spraying
- Adjusts right from the touch screen

### EASY-TO-MANEUVER DESIGN

- Heavy-duty painted steel construction with integrated lift points and flat proof tires



### WHAT CONTRACTORS ARE SAYING...

"On our very first job, we saw at least a **15% savings** on materials (coatings and solvent) compared to hot potting... In fact, we plan on phasing out our Kings and moving the rest of the crews to E-Mix XT"

- Manuel Rodriguez, Co-owner, Polytech Industrial Inc, Fresno, CA



**THE EASIEST-TO-OPERATE  
VARIABLE-RATIO SPRAYER IN THE  
INDUSTRY**



**SO EASY, YOU CAN RUN IT FROM A  
SINGLE TOUCHSCREEN!**

### SMARTSYNC™ CONTROL WITH TOUCH-SCREEN INTERFACE

- All important spray parameters are controlled from one screen — nothing could be easier
- Eliminates the steep learning curve — no expert needed
- Perfectly syncs the XT motors and pumps to deliver the perfect ratio — *everytime*

### FEATURING RATIOGUARD PROTECTION

- Real-time ratio monitoring maintains accuracy
- Integrated alarm system prevents errors and eliminates rework

### INTEGRATED RATIO CHECK

- Proves on-ratio accuracy for each mix — ensuring quality
- Ideal for inspections and quality control checks
- Single-handle design for easy, efficient operation

### FASTCLEAN™ SOLVENT PUMP

- Allows quick flushing of mix hose and gun during stoppage to protect your equipment
- Features 5 gallon inlet suction set for solvent bucket
- Powered by Xtreme Torque Motor and Endurance pump for long life and trouble-free operation



**INCREASE PROFIT & QUALITY  
WITH E-MIX XT!**





# E-MIX XT

## ELECTRIC AIRLESS SPRAYER

### COMING SUMMER 2024!

## READY-TO-SPRAY SOLUTIONS FOR EVERY JOB!

Choose from Standard Series for work where a remote manifold is not required, or choose the Pro Series for longer hose runs with a remote manifold — *you decide!*



### E-MIX XT STANDARD INCLUDES:

- E-Mix XT (240v 40a Single Phase)
- Dual 7 Gallon Hoppers
- FastClean Solvent Flush Pump
- DualFlo Heater
- Ratio Check Kit
- 25' x 3/8" Mix Integration Hose
- 10' x 1/4" Whip Hose
- XTR 5+ Gun, XHD 519 Switch Tip



### E-MIX XT PRO INCLUDES:

All the **STANDARD** Features

### PLUS:

- Light Tower
- Hose Rack
- Remote Manifold Carriage
- 200' x 1/2" (4 x 50') "A" & "B" Material Hose
- 100' x 3/8" (2 x 50') "B" Material Hose (ratios over 3:1)

E-MIX XT 240v	PART #
E-Mix XT Standard Series	2004087
E-Mix XT Pro Series	2005565



**FOR MORE INFORMATION**  
[graco.com/EMIX](http://graco.com/EMIX)

